



Type	Hits	Search Text	DBs	Time Stamp
BRS	0	((((((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.)) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccs.)) or ((436/50 or 436/174 or 436/177).ccs.)) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccs.)) or 564/425.ccs.)) or ((422/50 or 436/4).ccs.)) and (material near screening)) and computer) and pressure) and temperature) and variable\$1) and analyzing) and (agitation or catalyst)) and cool\$3) and (time and duration)) and operation) and feedback) and isomers\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	229	(((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.)) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccs.)) or ((436/50 or 436/174 or 436/177).ccs.)) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccs.)) or 564/425.ccs.)) or ((422/50 or 436/4).ccs.)) and polymorphism	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	143	(((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.)) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccs.)) or ((436/50 or 436/174 or 436/177).ccs.)) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccs.)) or 564/425.ccs.)) or ((422/50 or 436/4).ccs.)) and polymorphism) and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	138	((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.)) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccs.)) or ((436/50 or 436/174 or 436/177).ccs.)) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccs.)) or 564/425.ccs.)) or ((422/50 or 436/4).ccs.)) and polymorphism) and computer) and samples	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	7	((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.)) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccs.)) or ((436/50 or 436/174 or 436/177).ccs.)) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccs.)) or 564/425.ccs.)) or ((422/50 or 436/4).ccs.)) and polymorphism) and computer) and samples) and isomers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	6	((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.)) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccs.)) or ((436/50 or 436/174 or 436/177).ccs.)) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccs.)) or 564/425.ccs.)) or ((422/50 or 436/4).ccs.)) and polymorphism) and computer) and samples) and isomers) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((((((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.)) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccs.)) or ((436/50 or 436/174 or 436/177).ccs.)) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccs.)) or 564/425.ccs.)) or ((422/50 or 436/4).ccs.)) and polymorphism) and computer) and samples) and isomers) and filter) and salts) and crystalization	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((((((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.)) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccs.)) or ((436/50 or 436/174 or 436/177).ccs.)) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccs.)) or 564/425.ccs.)) or ((422/50 or 436/4).ccs.)) and polymorphism) and computer) and samples) and isomers) and filter) and salts) and crystallisation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	1	((((((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.)) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccs.)) or ((436/50 or 436/174 or 436/177).ccs.)) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccs.)) or 564/425.ccs.)) or ((422/50 or 436/4).ccs.)) and polymorphism) and computer) and samples) and isomers) and filter) and salts) and crystallisation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
IS&R	2	("20030157721").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	("20030157721").PN.) and (end same product)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	("20030157721").PN.) and resultant	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	("20030157721").PN.) and byproduct	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	(US-20030157721-\$).did.	US-PGPUB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (type same solvent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (timing same solvent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (time same solvent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (duration same solvent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (duration and solvent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	565	366/142.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	29	366/142.ccls. and solvent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	22	(366/142.ccls. and solvent) and material	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	9	((366/142.ccls. and solvent) and material) and solid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	(((366/142.ccls. and solvent) and material) and solid) and computer) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (computer and solvent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (computer same solvent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (heat or heating)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (agitation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (catalyst)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (temperature and comptuer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (temperature and computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (temperature same computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (filter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (porous)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (pressure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (material same analysed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (material same analyzed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (analyzed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (analysed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (analysis)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (polymorphs)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (polymorph)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (salts)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (salt)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (first same second)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (predetermined)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((US-20030157721-\$).did.) and (predetermined same amount)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	10	((salt near filter\$1) and isomers) and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	7	((salt adj formers) and computer) and material	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
IS&R	2	("5248699").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	3	(((investigating adj materials) and array) and computer) and (heat and temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	7	((salt adj formers) and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04

Type	Hits	Search Text	DBs	Time Stamp
BRS	1	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).cccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).cccls.) or ((436/50 or 436/174 or 436/177).cccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).cccls.) or 564/425.ccls.) and (material adj testing or investigating or formation)) and (salt near formers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	3	((422/50 or 436/4).cccls.) and (material near testing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	1	((422/50 or 436/4).cccls.) and (material near testing)) and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
IS&R	7	("3814582" or "3932131").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	4	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).cccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).cccls.) or ((436/50 or 436/174 or 436/177).cccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).cccls.) or 564/425.ccls.) or ((422/50 or 436/4).cccls.) and (material near screening)) and computer) and pressure) and temperature) and variable\$1) and analyzing) and (agitation or catalyst)) and cool\$3) and (time and duration)) and operation) and feedback	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	5	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).cccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).cccls.) or ((436/50 or 436/174 or 436/177).cccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).cccls.) or 564/425.ccls.) or ((422/50 or 436/4).cccls.) and polymorphism) and computer) and samples) and isomers) and filter) and salts	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	1	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).cccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).cccls.) or ((436/50 or 436/174 or 436/177).cccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).cccls.) or 564/425.ccls.) or ((422/50 or 436/4).cccls.) and polymorphism) and computer) and samples) and isomers) and filter) and salts) and crystallization	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	5	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).cccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).cccls.) or ((436/50 or 436/174 or 436/177).cccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).cccls.) or 564/425.ccls.) or ((422/50 or 436/4).cccls.) and polymorphism) and computer) and samples) and isomers) and filter) and salts) and resultant	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	2	("20030157721").PN.) and material	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	1	("20030157721").PN.) and programmed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	1	("20030157721").PN.) and sample	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	4	((366/142.ccls. and solvent) and material) and solid) and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	4	366/142.ccls. and (solvent same computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	3157	(702/22-23 or 702/27 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	0	((702/22-23 or 702/27 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).cccls.) and polymorphs	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	3	((702/22-23 or 702/27 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).cccls.) and polymorphs	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	3	((702/22-23 or 702/27 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).cccls.) and polymorphs) and isomers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	3	(((((702/22-23 or 702/27 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).cccls.) and polymorphs) and isomers) and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04
BRS	1	(((((702/22-23 or 702/27 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).cccls.) and polymorphs) and isomers) and computer) and vapour	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09/08/04